PELICAN[™]



Prepare Yourself For Future Shock





Mini Flasher™

CAT. NO. 2130C

- Submersible to 500 feet
- · 2 coin cell batteries included
- 130 hours of battery life
- · LED marker light that pulses at a frequency of 2 flashes per second



MityLite™ 3N LED

CAT. NO. 1990

- 3 N-cell alkaline batteries included
- 100 hours of battery life
- Made of unbreakable Xenoy®
- · Tail button switch



Black



Yellow



Tail Button Switch



L1 LED Light

CAT. NO. 1930

- · Water resistant
- 4 LR44 1.5V alkaline coin cells included
- 130 hours of battery life
- Tail button switch
- · Safety neck lanyard
- · Pocket clip
- · 2 night vision discs



Black



Yellow



Tail Button Switch



VB3 LED

CAT. NO. 2220

- · Water resistant
- 2 CR2032 3V Lithium batteries included
- · Over 100 hours of battery life
- · Head pivots to a full 180 degrees





AELA Convenient clip fits on hats or shirt pockets.



M6 LED

CAT. NO. 2330

- Water resistant
- · Lithium cells included
- · 40 hours of battery life
- CNC machined aluminum body





Silver



· Tail switch

· Safety lockout switch

Cordura[®] holster

· Tail button switch

Tail Button Switch



MityLite™ Plus 2AA LED

CAT. NO. 2360

- Water resistant
- · 2AA batteries included
- . 65 hours of battery life
- Made of unbreakable Xenoy® chemical resistant resin with polycarbonate lens



Yellow



Tail Button Switch



Pelican leads the way with New Recoil LED Technology™

We use a 1-watt Luxeon LED and mount it to a beefy cast-aluminum bar. Finally, an LED flashlight that's just as bright as a high performance incandescent, without the annoying

dark spots and irregular beam pattern caused by standard filament



. O-ring sealed with a

guard tray included

twist-on shroud

Polarity battery

Square chip, square beam. Pure LED.

backwards into the reflector, 100% of the light is captured and projected forward. The squared spot on the beam is your proof that all available light is being used and there's no peripheral projection. It's a true collimated beam that cuts through thick smoke, dust, and the darkest abyss.

Recoil LED Technology.™ Think of it as a lighthouse in the palm of your hand.



Recoil LED Technology



Conventional LED



pointing the LED

CAT. NO. 2020

- Recoil LED Technology[™]
- Submersible to 500 feet
- 3 C batteries (not included)
- · Made of ABS with polycarbonate lens and ABS shroud



Black



Yellow

M8 LED

CAT. NO. 8020

- Recoil LED Technology[™]
- Water resistant
- 3 C batteries (not included)
- Body made of Xenoy[®] with polycarbonate lens and ABS shroud





Yellow

- · Sure-grip vinyl sheath resists chemicals and extreme temperatures
- · O-ring sealed with a twist-on shroud
- · Polarity battery guard trav included



HeadsUP Lite™ 2610

CAT. NO. 2610

- Water resistant
- · 3 AAA alkaline batteries included
- · ABS resin body
- Dual mode LED headlight 1 LED (low power) or 3 LEDs (high power)
- · Available with rubber strap and cloth strap









Cloth Strap





HeadsUP Lite™ 2640

CAT. NO. 2640

- Water resistant
- 4 AA alkaline batteries included
- · ABS resin body
- · Halogen headlight combo. Super bright halogen lamp and LEDs for 10,000 hours
- Pivoting head and focusable light beam
- Available with rubber strap and cloth strap



Rubber Strap



Cloth Strap





HeadsUP Lite™ 2620

CAT. NO. 2620

- · Water resistant
- · 3 AAA alkaline batteries included
- ABS resin body and shroud
- · Combo headlight LEDs or Xenon
- · Multi-angle pivoting head
- Available with rubber strap and cloth strap



Rubber Strap



Cloth Strap





HeadsUP Lite™ 2660

CAT. NO. 2660

- · Water resistant
- · Halogen headlight combo
- · Same features as the 2640 with an extended duty 4D Battery Pack included.
- · Available with rubber strap and cloth strap







Cloth Strap



LED Specifications and Features							
CAT. NO.	BATTERIES	TESTED Lumen Value	CANDLE POWER	WATTS	BATTERY Burn Time	APPROVALS	COLORS
1930	4 LR44 1.5 V	8.9	6,000	0.18	130 hrs.	YES	0
1990	3 N Cells	8.9	n/a	0.9	100 hrs.	YES	○ •
2020	3 C	35.0	15,000	1.0	6 hrs.	YES	○ •
2130	2 Coin Alkaline	4.7	4,000	0.48	130 hrs.	YES	•
2220	2 CR2032 3V Lithium	5.5	6,000	0.60	100+ hrs.	Pending	• 0
2330	2 CR123 Lithium	41.0	17,000	1.0	40.0 hrs.	NO	0 •
2360	2 AA	3.0	n/a	0.9	65.0 hrs.	YES	○ ●
2610	3 AAA	9 (LOW) 25 (HI)	6,000 (LOW) 10,000 (HI)	0.135 (LOW) 0.405 (HI)	150 hrs. (LOW) 80hrs. (HI)	YES	•
2620	3 AAA	9.0 (LOW) 14.0 (HI)	6,000 (LOW) 10,000 (HI)	0.405 (LOW) 1.53 (HI)	80 hrs. (LOW) 2-3 hrs (HI)	YES	•
2640	4 AA	9.0 (LOW) 21.0 (HI)	6,000 (LOW) 10,000 (HI)	0.54 (LOW) 3.48 (HI)	50hrs. (LOW) 3 hrs. (HI)	YES	•
2660	4 D	9.0 (LOW) 44.0 (HI)	6,000 (LOW) 10,000 (HI)	0.54 (LOW) 5.76 (HI)	400hrs. (Low) 15 hrs. (HI)	YES	•
8020	3 C	35.0	15,000	1.0	6-7 hrs.	YES	○ ●

For inquiry on approvals, please go to our website at www.pelican.com or refer to our new flashlight catalog.

Pelican's Unconditional Lifetime Guarantee of Excellence

If for any reason you are not satisfied with the quality or performance of any PELICAN product, we will gladly replace the product or refund your money (at your option) within 30 days of purchase through the original retailer/dealer. PELICAN PRODUCTS will continue to guarantee the product directly for a lifetime against breakage or defects in workmanship. Lifetime guarantee does not cover the lamp, batteries or case contents. The o-rings must be kept greased (and replaced if damaged) per product instructions.

This guarantee is void only if the PELICAN product has been abused beyond normal and sensible wear and tear.

THE ABOVE GUARANTEE DOES NOT COVER SHARKBITE, BEAR ATTACK OR CHILDREN UNDER 5.

PELICAN PRODUCTS, INC.
23215 Early Ave., Torrance, CA 90505
Tel 310.326.4700 • Fax 310.326.3311

www.pelican.com
PELICAN PRODUCTS CANADA
10221-184 St., Edmonton, Alberta T5S 2J4
Tel 780.481.6076 • Fax 780.481.9586

